

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	6	("7283474" "7277535" "7266593" "7333499" "6980512" "7051082").pn.	US- PGPUB; USPAT	OR	ON	2009/06/24 09:39
S1	353	(@ad<"19990913" or @rlad<"19990913") and (request with routing with (rule or instruction))	US- PGPUB; USPAT	OR	ON	2007/07/25 08:26
S2	428	(@ad<"19990913" or @rlad<"19990913") and (request\$3 with routing with (rule or instruction))	US- PGPUB; USPAT	OR	ON	2007/07/25 08:26
S3	307	(@ad<"19990913" or @rlad<"19990913") and (request\$3 with routing near2 (rule or instruction))	US- PGPUB; USPAT	OR	ON	2007/07/25 08:26
S4	14	(@ad<"19990913" or @rlad<"19990913") and (request\$3 with routing near2 (rule or instruction)) and (updat\$3 with rout\$3 near2 (rule or instruction))	US- PGPUB; USPAT	OR	ON	2007/07/25 08:40
S5	1	"5745488".pn.	US- PGPUB; USPAT	OR	ON	2007/07/25 08:34
S6	8100	(@ad<"19990913" or @rlad<"19990913") and ("no" near2 entry)	US- PGPUB; USPAT	OR	ON	2007/07/25 08:40
S7	87	(@ad<"19990913" or @rlad<"19990913") and ("no" near2 entry) with routing adj table	US- PGPUB; USPAT	OR	ON	2007/07/25 08:40
S8	0	(@ad<"19990913" or @rlad<"19990913") and ("no" near2 entry) with routing adj table same (request near2 entry)	US- PGPUB; USPAT	OR	ON	2007/07/25 08:40
S9	37	(@ad<"19990913" or @rlad<"19990913") and ("no" near2 entry) with routing adj table same (request)	US- PGPUB; USPAT	OR	ON	2007/07/25 09:18

S10	0	(@ad<"19990913" or @rlad<"19990913") and (updat\$3 with special with packet with detect\$3 with rules)	US- PGPUB; USPAT	OR	ON	2007/07/25 09:18
S11	0	(@ad<"19990913" or @rlad<"19990913") and (updat\$3 with special with packet with detect\$3)	US- PGPUB; USPAT	OR	ON	2007/07/25 09:19
S12	217	(@ad<"19990913" or @rlad<"19990913") and (updat\$3 with packet with detect\$3)	US- PGPUB; USPAT	OR	ON	2007/07/25 09:19
S13	0	(@ad<"19990913" or @rlad<"19990913") and (updat\$3 with packet with detect\$3 with rules)	US- PGPUB; USPAT	OR	ON	2007/07/25 09:19
S14	4	(@ad<"19990913" or @rlad<"19990913") and (updat\$3 with frame with detect\$3 with rules)	US- PGPUB; USPAT	OR	ON	2007/07/25 09:20
S15	0	(@ad<"19990913" or @rlad<"19990913") and (updat\$3 with cell with detect\$3 with rules)	US- PGPUB; USPAT	OR	ON	2007/07/25 09:20
S16	43	(@ad<"19990913" or @rlad<"19990913") and (updat\$3 with packet with rules)	US- PGPUB; USPAT	OR	ON	2007/07/25 09:20
S17	0	(@ad<"19990913" or @rlad<"19990913") and (updat\$3 with special with packet with rules)	US- PGPUB; USPAT	OR	ON	2007/07/25 09:20
S18	43	(@ad<"19990913" or @rlad<"19990913") and (updat\$3 with packet with rules)	US- PGPUB; USPAT	OR	ON	2007/07/25 09:20
S19	10	(@ad<"19990913" or @rlad<"19990913") and (updat\$3 with packet near2 rules)	US- PGPUB; USPAT	OR	ON	2007/07/25 09:33
S20	14318	(@ad<"19990913" or @rlad<"19990913") and ((charg\$3 or bill\$3) near2 unit)	US- PGPUB; USPAT	OR	ON	2007/07/25 09:34
S21	48	(@ad<"19990913" or @rlad<"19990913") and ((charg\$3 or bill\$3) near2 unit) with packet	US- PGPUB; USPAT	OR	ON	2007/07/25 09:34

S22	0	(@ad< "19990913" or @rlad< "19990913") and ((charg\$3 or bill\$3) near2 unit) with packet with external	US- PGPUB; USPAT	OR	ON	2007/07/25 09:34
S23	0	(@ad< "19990913" or @rlad< "19990913") and ((charg\$3 or bill\$3) near2 unit) with packet with router	US- PGPUB; USPAT	OR	ON	2007/07/25 09:34
S24	48	(@ad< "19990913" or @rlad< "19990913") and ((charg\$3 or bill\$3) near2 unit) with packet	US- PGPUB; USPAT	OR	ON	2007/07/25 09:34
S25	143	(@ad< "19990913" or @rlad< "19990913") and (packet adj rule)	US- PGPUB; USPAT	OR	ON	2008/07/07 11:22
S26	719650	(@ad< "19990913" or @rlad< "19990913") and (packet adj rule) near2 server or database	US- PGPUB; USPAT	OR	ON	2008/07/07 11:23
S27	2	(@ad< "19990913" or @rlad< "19990913") and (packet adj rule) near2 (server or database)	US- PGPUB; USPAT	OR	ON	2008/07/07 11:23
S28	6	(@ad< "19990913" or @rlad< "19990913") and (packet with instruction) near2 (server or database)	US- PGPUB; USPAT	OR	ON	2008/07/07 11:24
S29	243	(@ad< "19990913" or @rlad< "19990913") and (packet with instruction) with (server or database)	US- PGPUB; USPAT	OR	ON	2008/07/07 11:24
S30	85	(@ad< "19990913" or @rlad< "19990913") and (packet near3 instruction) with (server or database)	US- PGPUB; USPAT	OR	ON	2008/07/07 11:24
S31	16	(@ad< "19990913" or @rlad< "19990913") and (packet near3 instruction with (rout\$3 or forward\$3)) with (server or database)	US- PGPUB; USPAT	OR	ON	2008/07/07 11:25
S32	10	"7283474" "7330902" "7120131" "6463082" "7161925" "6563811" "7333499" "7349402" "6393121" "7277535").pn.	US- PGPUB; USPAT	OR	ON	2008/07/07 14:11
S33	4	(@ad< "19990913" or @rlad< "19990913") and (packet near3 instruction with (rout\$3 or forward\$3)) with (gateway)	US- PGPUB; USPAT	OR	ON	2008/12/16 10:31

S34	1	(@ad<"19990913" or @rlad<"19990913") and (gateway) with updat\$3 with router with instruction	US- PGPUB; USPAT	OR	ON	2008/12/16 10:43
S35	4	(@ad<"19990913" or @rlad<"19990913") and (gateway) with updat\$3 with instruction	US- PGPUB; USPAT	OR	ON	2008/12/16 10:44
S36	15	(@ad<"19990913" or @rlad<"19990913") and (gateway) with updat\$3 with router	US- PGPUB; USPAT	OR	ON	2008/12/16 10:45
S37	2	(@ad<"19990913" or @rlad<"19990913") and (gateway) with updat\$3 near2 router	US- PGPUB; USPAT	OR	ON	2008/12/16 10:45

6/24/09 9:41:36 AM

C:\Documents and Settings\jmattis\My Documents\EAST\Workspaces\10070212.wsp